



## 10.6 Find Segment Lengths in Circles

Given: picture  
 Prove:  $AE \cdot EB = CE \cdot DE$




- |   |   |
|---|---|
| <ol style="list-style-type: none"> <li>① <u>Draw AC</u></li> <li>② <u>Draw BD</u></li> <li>③ <math>\angle AEC \cong \angle BED</math></li> <li>④ <math>\angle C \cong \angle B</math></li> <li>⑤ <math>\triangle AEC \sim \triangle BED</math></li> <li>⑥ <math>\frac{AE}{DE} = \frac{CE}{BE}</math></li> <li>⑦ <math>AE \cdot BE = CE \cdot DE</math></li> </ol> | <ol style="list-style-type: none"> <li>① Given</li> <li>② through any 2 pts there is exactly one line</li> <li>③ Vert. <math>\angle s \cong</math></li> <li>④ If 2 <math>\angle s</math> intercept the <sup>inscribed</sup> same arc they are <math>\cong</math></li> <li>⑤ AA <math>\sim</math> sides of <math>\sim \triangle s</math> are prop.</li> <li>⑦ Cross Mult.</li> </ol> |
|---|---|

**Theorem 10.14** Segments of Chords



Theorem--If 2 chords intersect in a circle, then the products of the lengths of the segments of the chords are equal.

$$a \cdot b = c \cdot d$$



$$3x = 2 \cdot 12$$

$$x = 8$$





$$(x+6)(x+1) = 24$$

$$x^2 + 7x + 6 = 24$$

$$x^2 + 7x - 18 = 0$$

$$(x+9)(x-2)$$

$$\cancel{x+9} \quad \boxed{x=2}$$



$$(8-x)(8+x) = 9 \cdot 4$$

$$64 - x^2 = 36$$

$$28 = x^2$$

$$\boxed{2\sqrt{7}} \quad \pm 2\sqrt{7} = x$$

$$y^2 = 2 \cdot 8$$

$$16$$


$$\boxed{y = 4}$$

Secant segment--is a segment that contains a chord of a circle and has exactly one endpoint outside the circle.  $\overline{AC}$


External segment  $\overline{BC}$

Tangent segment

$\overline{DC}$





Given: picture  
Prove:  $AE \cdot BE = CE \cdot DE$



### Theorem 10.15-Segments of Secants

Theorem--If two secants share the same exterior point, then the product of the lengths of one secant segment and its external secant segment is equal to the product of the lengths of the other secant segment and its external secant segment.

$$r \cdot s = t \cdot u$$




$$\begin{aligned}
 x(x+2) &= 3(8) \\
 x^2 + 2x - 24 &= 0 \\
 (x+6)(x-4) &= 0 \\
 x &= -6 \quad x = 4
 \end{aligned}$$

### Theorem 10.16-Segments of Secants and Tangents Theorem--

If a tangent segment and a secant segment share an exterior point, then the (length of the tangent segment)<sup>2</sup> = the product of the lengths of the secant segment and its external secant segment

$$AC \cdot BC = DC^2$$





$$(x+4)^2 = x(2x+2)$$

$$x^2 + 8x + 16 = 2x^2 + 2x$$

$$0 = x^2 - 6x - 16$$

$$(x-8)(x+2)$$

$$(x=8) \quad x \neq -2$$



$$x^2 = 6 \cdot 24$$

$$x^2 = 144$$

$$x = 12$$

Homework:

p. 692-694 #s 3-10, 16,  
18, 26